



Verified by
Environmental Technology Verification
(ETV) Program

Bio Waste Oxidizer

Eco Waste Solutions Inc.

Performance Claim

The Bio Waste Oxidizer, manufactured by Eco Waste Solutions Inc., is a three-stage thermal gasification system capable of meeting the average stack emission concentrations listed below, when used to incinerate biomedical waste and when the minimum temperature and minimum residence times in the afterburner are 1,000°C and 2 seconds, respectively.

Parameter	Average Scrubber Emission Concentrations
Particulate*	28.7 mg/Rm ³
Pb+Mn+Cr+Cu+As+Ni	0.5 mg/Rm ³
Cd	0.001 mg/Rm ³
Hg	0.003 mg/Rm ³
Dioxin/Furan**	0.027 ng I-TEQ/Rm ³
SO ₂	37 mg/Rm ³
NOx***	167 mg/Rm ³
CO	8 mg/Rm ³
HCl	16 mg/Rm ³
HF	1.1 mg/Rm ³
Organic Compound****	9 mg/Rm ³

* Emissions exclude excess sodium hydroxide contribution

** I-TEQ refers to international toxicity equivalent factor (2,3,7,8-TCDD)

*** Nitrogen oxides are expressed as nitrogen dioxide

**** Expressed as methane

R indicates the reference measurement conditions for emissions, which are: at 25°C and 1 atmosphere, adjusted to 11% oxygen by volume

Technology Description

The Bio Waste Oxidizer is a batch-mode three-stage thermal oxidation system for incinerating biomedical waste. In the first stage, waste is oxidized in the combustion chamber by means of a gas or oil fired burner. Off gases from the first stage are combusted in the second stage (afterburner) and then emitted through a wet scrubber in the third stage. Critical process parameters in both stages are computer controlled. The complete oxidation cycle, which consists of loading, combustion, cooling and ash removal, occurs over twelve hours. The actual oxidation process occurs over a 6 to 8 hour period.



Government of
Canada

Gouvernement du
Canada



Technology Application

The Bio Waste Oxidizer can be used for the thermal oxidation of municipal, medical and industrial wastes. The verified performance claim is based on the incineration of biomedical wastes.

Verification

The data set analysed for claim verification was generated for a compliance test performed on a full-scale system in Burlington, Ontario. The test was performed by Canadian Ortech Environmental, in July 1999, with all protocols accepted by the Ontario Ministry of the Environment (MOE). The loadings to the incinerator on the three test days were approximately 1000 kg of biomedical waste per test. The waste composition was as defined by the Ontario Ministry of the Environment's proposed definition of biomedical waste. The verification of the performance claim based on this data was carried out by Chemical Emission Management Services (CEMS), Mississauga, Ontario.

What is the ETV Program?

The Environmental Technology Verification (ETV) Program is a joint Environment Canada - Industry Canada initiative delivered by ETV Canada. The ETV Program is designed to support Canada's environment industry by providing credible and independent verification of technology performance claims.

Eco Waste Contact Information:

Eco Waste Solutions Inc.
5195 Harvester Road, Unit #6
Burlington, ON Canada L7L 6E9
Tel: (905) 634-7022
Fax: (905) 634-0831
E-Mail: info@ecosolutions.com
www.ecosolutions.com

ETV Canada Contact Information:

ETV Canada
2070 Hadwen Road Unit 201A
Mississauga, Ontario
L5K 2C9 Canada
Tel: (905) 822-4133
Fax: (905) 822-3558
E-mail: etv@etvcanada.ca
www.etvcanada.ca





Limitation of Verification

Environment Canada, ETV Canada, and the Verification Entity provide the verification services solely on the basis of the information supplied by the applicant or vendor and assume no liability thereafter. The responsibility for the information supplied remains solely with the applicant or vendor and the liability for the purchase, installation, operation (whether consequential or otherwise) is not transferred to any other party as a result of the verification.

Printed March 2000

Revised June 2007

Expires March 2009



Government of
Canada

Gouvernement du
Canada